

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLE 1  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 1

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLE 1  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 2

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLES 2 AND 4  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 3

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLES 2 AND 4  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 4

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLES 3 AND 5  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 5

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLES 3 AND 5  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 6

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLE 6  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 7

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLE 6  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/40)




FIG. 8



TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLES 7, 8, AND 9  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 9

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLES 7, 8 AND 9  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 10

TRANSDERMAL DELIVERY SYSTEM  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




Figure 11

TRANSDERMAL DELIVERY SYSTEM  
FORMULATIONS  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




Figure 12  
mca 12

TRANSDERMAL DELIVERY SYSTEM  
FORMULATION  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




Figure 13

TRANSDERMAL DELIVERY SYSTEM  
FORMULATION  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




Figure 14

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLE 13  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 15

TRANSDERMAL DELIVERY SYSTEM  
OF EXAMPLE 13  
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN  
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 16